# Robot Vision: Features

Prof. Friedrich Fraundorfer

SS 2023

# Outline

- The importance of feature matching
- Image similarity and viewpoint changes
- Challenges
- Properties of detectors and descriptors
- Detectors
  - What locations would be good
  - Point detectors (concept of Harris and FAST)
  - Blob detectors (DOG)

- The term "feature" or "image feature" is used with some variety of meaning.
- Set of properties, description of an image region (in this case including a specific location) or the whole image
- Strictly speaking the term "feature" only means a description, but any description needs a location. So the wider definition also means a location and region
- "Feature points" are the detected point locations in images that are used for image matching or geometric algorithms.
- Image features are a combination of the results of a detector method and a descriptor method.

## The importance of feature matches

- Geometric algorithms need point correspondences i.e. image feature matches
- The quality of feature matches determines the outcome of geometric algorithms.
  - Location accuracy of feature matches
  - Correctness of feature matches (mis-matches)
- Image classification, image indexing, image search, image interpretation also need feature points and feature matches.

## Image similarity and viewpoint changes













## Image similarity and viewpoint changes













## Two challenges

- How to select proper points (detectors)
- How to compute the similarity of image patches (descriptor)

## **Properties of detectors**

- Accurate localization
- Useful locations
- High repeatability detection



## **Properties of descriptors**

- Discriminative
- Descriptive
- Compact descriptions
- Invariance to image changes (brightness, rotation)





#### Detectors: Which locations would be good



#### Detectors

- Point detectors
  - Harris corners
  - FAST corners
- Blob detectors
  - DOG points





## Harris corners

 Looks for locations in an image where the SSD changes strongly

$$f(x,y) = \sum_{(x_k,y_k)\in W} (I(x_k,y_k) - I(x_k+\Delta x,y_k+\Delta y))^2$$

$$(x_k,y_k)\in W$$

$$f(x,y)pprox (\Delta x \quad \Delta y\,)Miggl({\Delta x \ \Delta y}iggr)$$

$$M = \sum_{(x,y)\in W} egin{bmatrix} I_x^2 & I_x I_y \ I_x I_y & I_y^2 \end{bmatrix} = egin{bmatrix} \sum_{(x,y)\in W} I_x^2 & \sum_{(x,y)\in W} I_x I_y \ \sum_{(x,y)\in W} I_x I_y & \sum_{(x,y)\in W} I_y^2 \end{bmatrix}$$

## **FAST** corners



 Count the number N of contiguos pixels around a center pixel p that are brighter than the center pixel. If N >= than some threshold this point is a feature location.

#### Harris corners vs. Fast corners



#### Harris corners vs. Fast corners





- Slower to compute
- Better control of number of detections with threshold

- Fast to compute
- Many detections
- Many corners next to each other

## Difference of Gaussian (DOG) points

- Is a Blob detector, detections are not necessarily on image corners
- Is a scale invariant detector, high repeatability even for images of different scales (image resolution)
- Processes images at different resolutions (scales) and then selects a feature location in x,y and a specific scale s which has a high value for the sum of the squares of the second derivatives in all directions (Laplacian)



## DOG filter mask

- Filter mask is composed of the subtraction of two Gaussian filter masks
- Is an approximation of the Laplace operator (Laplacian of Gaussian, LOG) which is a blob detector



## Computation of DOG's measure



18

## Selection of extrema

- Extrema are selected in 3D (x,y,scale)
- Center pixel needs to be larger or smaller than it's 26 neighbors



https://aishack.in/tutorials/sift-scale-invariant-feature-transform-introduction/

# DOG feature points

