

The 3D-PITOTI Project with a Focus on Multi-Scale 3D Reconstruction using Autonomous UAVs *

Christian Mostegel¹, Georg Poier¹, Christian Reinbacher¹, Manuel Hofer¹,
Friedrich Fraundorfer¹, Horst Bischof¹, Thomas Höll², Gert Holler² and Axel Pinz²

¹ Institute for Computer Graphics and Vision
Graz University of Technology, Austria
{lastname}@icg.tugraz.at

² Institute of Electrical Measurement and Measurement Signal Processing
Graz University of Technology, Austria
{firstname}.{lastname}@tugraz.at

Abstract

In this talk, we showcase our outcome of the ambitious 3D-PITOTI project, which involves a multi-disciplinary team of over 30 scientists from across Europe. The project focuses on the 3D aspect of recording, storing, processing and visualizing prehistoric rock art in the UNESCO World Heritage site in Valcamonica, Italy. The rock art was pecked into open-air rock formations thousands of years ago and has an inherent 3D nature.

After a project overview, we present the results of the Graz University of Technology's contributions in 3D acquisition and processing with a focus on our novel autonomous UAV system. We elaborate the challenges of 3D reconstruction across vastly different scales, from a valley wide reconstruction down to individual peckings on the rock surface [1]. Within this context, we first present a novel 3D scanning device with sub-millimeter accuracy [2]. Aside from correctly scaled 3D information, the scanning device also provides the surface radiometry without the need for artificial shrouding [3]. Additionally, we point out one application for which this highly accurate 3D data has shown to be crucial: The interactive segmentation of the individually pecked figures [7, 8].

Finally, we present a novel autonomous UAV system for acquiring high-resolution images at a few meters distance [6, 5, 4]. The system optimizes scene coverage, ground resolution and 3D uncertainty, while ensuring that the acquired images are suitable for a specific dense offline 3D reconstruction algorithm. There are three main aspects that set this system apart from others. First, the system operates completely on-site without the need for a prior 3D model of the scene. Second, the system iteratively refines a surface mesh, predicts the fulfillment of requirements and can thus correct for initially wrong geometry estimates and imperfect plan execution. Third, the system uses the already acquired 2D images to predict the chances of a successful reconstruction with a specific offline 3D densification algorithm depending on the observed scene and potential camera constellations. We demonstrate the capabilities of our system in the challenging environment of the prehistoric rock art sites and then register the individual reconstructions of all scales in one consistent coordinate frame.

*The research leading to these results has received funding from the EC FP7 project 3D-PITOTI (ICT-2011-600545). We would like to thank all colleagues and the consortium of the 3D-PITOTI project for the fruitful collaboration.

References

- [1] Craig Alexander, Axel Pinz, and Christian Reinbacher. Multi-scale 3d rock-art recording. *Digital Applications in Archaeology and Cultural Heritage*, 2(2-3):181 – 195, 2015. Digital imaging techniques for the study of prehistoric rock art.
- [2] Thomas Höll, Gert Holler, and Axel Pinz. A novel high accuracy 3d scanning device for rock-art sites. *The International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences*, 40(5):285, 2014.
- [3] Thomas Höll and Axel Pinz. Cultural heritage acquisition: Geometry-based radiometry in the wild. In *International Conference on 3D Vision (3DV)*, pages 389–397, Oct 2015.
- [4] Christian Mostegel, Markus Rumpler, Friedrich Fraundorfer, and Horst Bischof. UAV-based Autonomous Image Acquisition with Multi-View Stereo Quality Assurance by Confidence Prediction. In *IEEE Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*, June 2016. [accepted for publication].
- [5] Christian Mostegel, Markus Rumpler, Friedrich Fraundorfer, and Horst Bischof. Using Self-Contradiction to Learn Confidence Measures in Stereo Vision. In *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2016. [accepted for publication].
- [6] Christian Mostegel, Andreas Wendel, and Horst Bischof. Active monocular localization: Towards autonomous monocular exploration for multirotor MAVs. In *IEEE International Conference on Robotics and Automation (ICRA)*, pages 3848–3855, May 2014. [Best Student Paper Award - Finalist].
- [7] Matthias Zeppelzauer, Georg Poier, Markus Seidl, Christian Reinbacher, Christian Breiteneder, Horst Bischof, and Samuel Schulter. Interactive segmentation of rock-art in high-resolution 3d reconstructions. In *2015 Digital Heritage*, volume 2, pages 37–44, Sept 2015. [Best Paper Award].
- [8] Matthias Zeppelzauer, Georg Poier, Markus Seidl, Christian Reinbacher, Samuel Schulter, Christian Breiteneder, and Horst Bischof. Interactive 3d segmentation of rock-art by enhanced depth maps and gradient preserving regularization. *ACM Journal on Computing and Cultural Heritage (JOCCH)*, 0(0):1–28, 2016. [accepted for publication].