

## **Journal Papers Ute Schäfer**

Jiang, H; Sitoci-Ficici, KH; Reinshagen, C; Molcanyi, M; Zivcak, J; Hudak, R; Laube, T; Schnabelrauch, M; Weisser, J; **Schäfer, U**; Pinzer, T; Schackert, G; Zhang, X; Wähler, M; Brautferger, U; Rieger, B *Adjustable Polyurethane Foam as Filling Material for a Novel Spondyloplasty: Biomechanics and Biocompatibility*. World Neurosurg. 2018; 112:e848-e858-e848-e858.

Mkrtchyan, GV; Üçal, M; Müllebner, A; Dumitrescu, S; Kames, M; Moldzio, R; Molcanyi, M; Schaefer, S; Weidinger, A; **Schaefer, U**; Hescheler, J; Duvigneau, JC; Redl, H; Bunik, VI; Kozlov, AV *Thiamine preserves mitochondrial function in a rat model of traumatic brain injury, preventing inactivation of the 2-oxoglutarate dehydrogenase complex*. BBA - Bioenergetics. 2018; 1859(9): 925-931.

Trattng, C; Üçal, M; Tam-Amersdorfer, C; Bucko, A; Zefferer, U; Grünbacher, G; Absenger-Novak, M; Öhlinger, KA; Kraitsy, K; Hamberger, D; **Schaefer, U**; Patz, S *MicroRNA-451a overexpression induces accelerated neuronal differentiation of Ntera2/D1 cells and ablation affects neurogenesis in microRNA-451a-/- mice*. PLoS One. 2018; 13(11):e0207575-e0207575

Bonyadi Rad, E; Mostofi, S; Katschnig, M; Schmutz, P; Pawelkiewicz, M; Willumeit-Römer, R; **Schäfer, U**; Weinberg, A *Differential apoptotic response of MC3T3-E1 pre-osteoblasts to biodegradable magnesium alloys in an in vitro direct culture model*. J Mater Sci Mater Med. 2017; 28(10):155-155

Bonyadi Rad, E; Musumeci, G; Pichler, K; Heidary, M; Szyclinska, MA; Castrogiovanni, P; Marth, E; Böhm, C; Srinivasaiah, S; Krönke, G; Weinberg, A; **Schäfer, U** *Runx2 mediated Induction of Novel Targets ST2 and Runx3 Leads to Cooperative Regulation of Hypertrophic Differentiation in ATDC5 Chondrocytes*. Sci Rep. 2017; 7(1):17947-17947

Egger, J; Gall, M; Tax, A; Üçal, M; Zefferer, U; Li, X; von Campe, G; **Schäfer, U**; Schmalstieg, D; Chen, X *Interactive reconstructions of cranial 3D implants under MeVisLab as an alternative to commercial planning software*. PLoS One. 2017; 12(3):e0172694-e0172694

Üçal, M; Haindl, MT; Adzemovic, MZ; Strasser, J; Theisl, L; Zeitelhofer, M; Kraitsy, K; Ropele, S; **Schäfer, U**; Fazekas, F; Hochmeister, S *Widespread cortical demyelination of both hemispheres can be induced by injection of pro-inflammatory cytokines via an implanted catheter in the cortex of MOG-immunized rats*. Exp Neurol. 2017; 294(7):32-44

Üçal, M; Kraitsy, K; Weidinger, A; Paier-Pourani, J; Patz, S; Fink, B; Molcanyi, M; **Schäfer, U** *Comprehensive Profiling of Modulation of Nitric Oxide Levels and Mitochondrial Activity in the Injured Brain: An Experimental Study Based on the Fluid Percussion Injury Model in Rats*. J Neurotrauma. 2017; 34(2):475-486

Mostofi, S; Bonyadi Rad, E; Wiltsche, H; Fasching, U; Szakacs, G; Ramskogler, C; Srinivasaiah, S; Ueçal, M; Willumeit, R; Weinberg, AM; **Schaefer, U** *Effects of Corroded and Non-Corroded Biodegradable Mg and Mg Alloys on Viability, Morphology and Differentiation of MC3T3-E1 Cells Elicited by Direct Cell/Material Interaction*. PLoS One. 2016; 11(7):e0159879-e0159879

Myrissa, A; Agha, NA; Lu, Y; Martinelli, E; Eichler, J; Szakács, G; Kleinhans, C; Willumeit-Römer, R; **Schäfer, U**; Weinberg, AM *In vitro and in vivo comparison of binary Mg alloys and pure Mg*. Mater Sci Eng C Mater Biol Appl. 2016; 61: 865-874.

Maegele, M; Braun, M; Wafaisade, A; Schäfer, N; Lippert-Gruener, M; Kreipke, C; Rafols, J; **Schäfer, U**; Angelov, DN; Stuermer, EK *Long-term effects of enriched environment on neurofunctional outcome and CNS lesion*

*volume after traumatic brain injury in rats.*

Physiol Res. 2015; 64(1):129-145

Maegele, M; Stuermer, EK; Hoeffgen, A; Uhlenkueken, U; Mautes, A; Schaefer, N; Lippert-Gruener, M; **Schaefer, U**; Hoehn, M *Multimodal MR imaging of acute and subacute experimental traumatic brain injury: Time course and correlation with cerebral energy metabolites*

ACTA RADIOL OPEN. 2015; 4(1):

Haubenwallner, S; Katschnig, M; Fasching, U; Patz, S; Trattnig, C; Andraschek, N; Grünbacher, G; Absenger, M; Laske, S; Holzer, C; Balika, W; Wagner, M; **Schäfer, U** *Effects of the polymeric niche on neural stem cell characteristics during primary culturing.*

J Mater Sci Mater Med. 2014; 25(5):1339-1355

Kraitsy, K; Uecal, M; Grossauer, S; Bruckmann, L; Pflieger, F; Ropele, S; Fazekas, F; Gruenbacher, G; Patz, S; Absenger, M; Porubsky, C; Smolle-Juettner, F; Tezer, I; Molcanyi, M; Fasching, U; **Schaefer, U** *Repetitive long-term hyperbaric oxygen treatment (HBOT) administered after experimental traumatic brain injury in rats induces significant remyelination and a recovery of sensorimotor function.*

PLoS One. 2014; 9(5):e97750-e97750

Molcanyi, M; Mehrjardi, NZ; **Schäfer, U**; Haj-Yasein, NN; Brockmann, M; Penner, M; Riess, P; Reinshagen, C; Rieger, B; Hannes, T; Hescheler, J; Bosche, B *Impurity of stem cell graft by murine embryonic fibroblasts - implications for cell-based therapy of the central nervous system.*

Front Cell Neurosci. 2014; 8(7):257-257

Bosche, B; Schäfer, M; Graf, R; Härtel, FV; **Schäfer, U**; Noll, T *Lithium prevents early cytosolic calcium increase and secondary injurious calcium overload in glycolytically inhibited endothelial cells.*

Biochem Biophys Res Commun. 2013; 434(2):268-272

Molcanyi, M; Bosche, B; Kraitsy, K; Patz, S; Zivcak, J; Riess, P; El Majdoub, F; Hescheler, J; Goldbrunner, R; **Schäfer, U** *Pitfalls and fallacies interfering with correct identification of embryonic stem cells implanted into the brain after experimental traumatic injury.*

J Neurosci Methods. 2013; 215(1):60-70

Patz, S; Trattnig, C; Grünbacher, G; Ebner, B; Güllly, C; Novak, A; Rinner, B; Leitinger, G; Absenger, M; Tomescu, OA; Thallinger, GG; Fasching, U; Wissa, S; Archelos-Garcia, J; **Schäfer, U** *More than cell dust: microparticles isolated from cerebrospinal fluid of brain injured patients are messengers carrying mRNAs, miRNAs, and proteins.*

J Neurotrauma. 2013; 30(14):1232-1242

Schutte, JK; **Schaefer, U**; Becker, S; Oldewurtel, C; Starosse, A; Singler, P; Richard, A; Wappler, F; Gerbershagen, MU; *3,4-Methylenedioxymethamphetamine induces a hyperthermic and hypermetabolic crisis in pigs with and without a genetic disposition for malignant hyperthermia.*

Eur J Anaesthesiol. 2013; 30(1):29-37

Weidinger, A; Dungal, P; Perlinger, M; Singer, K; Ghebes, C; Duvigneau, JC; Müllebnner, A; **Schäfer, U**; Redl, H; Kozlov, AV *Experimental data suggesting that inflammation mediated rat liver mitochondrial dysfunction results from secondary hypoxia rather than from direct effects of inflammatory mediators.*

Front Physiol. 2013; 4(2):138-138

Bentz, K; Molcanyi, M; Schneider, A; Riess, P; Maegele, M; Bosche, B; Hampl, JA; Hescheler, J; Patz, S; **Schäfer, U** *Extract derived from rat brains in the acute phase following traumatic brain injury impairs survival of undifferentiated stem cells and induces rapid differentiation of surviving cells.*

Cell Physiol Biochem. 2010; 26(6):821-830

Doll, H; Maegele, M; Bohl, J; Störkel, S; Kipfmueller, F; **Schaefer, U**; Angelov, D; Wirth, S; Truebel, H *Pharyngeal selective brain cooling is associated with reduced CNS cortical lesion after experimental traumatic brain injury in rats.*

J Neurotrauma. 2010; 27(12):2245-2254

Doll, H; Truebel, H; Kipfmueller, F; **Schaefer, U**; Neugebauer, EAM; Wirth, S; Maegele, M *Pharyngeal selective brain cooling improves neurofunctional and neurocognitive outcome after fluid percussion brain injury in rats.*

J Neurotrauma. 2009; 26(2):235-242

Molcanyi, M; Riess, P; Haj-Yasein, NN; Bentz, K; Loehr, M; Kuchta, J; Zivcak, J; Stenzel, W; Miletic, H; Hescheler, J; Neugebauer, E; Hampl, JA; Ernestus, RI; **Schaefer, U** *Developmental potential of the murine embryonic stem cells transplanted into the healthy rat brain--novel insights into tumorigenesis.*

CELL PHYSIOL BIOCHEM. 2009; 24(1-2): 87-94.

Schneider, A; Spitkovsky, D; Riess, P; Molcanyi, M; Kamisetti, N; Maegele, M; Hescheler, J; **Schaefer, U** *"The good into the pot, the bad into the crop!"--a new technology to free stem cells from feeder cells.*

PLoS ONE. 2008; 3(11): e3788-e3788.

Maegele, M; **Schaefer, U** *Stem cell-based cellular replacement strategies following traumatic brain injury (TBI).* Minim Invasive Ther Allied Technol. 2008; 17(2):119-131

Bentz, K; Molcanyi, M; Riess, P; Elbers, A; Pohl, E; Sachinidis, A; Hescheler, J; Neugebauer, E; **Schäfer, U** *Embryonic stem cells produce neurotrophins in response to cerebral tissue extract: Cell line-dependent differences.*

J Neurosci Res. 2007; 85(5):1057-1064

Maegele, M; Engel, D; Bouillon, B; Lefering, R; Fach, H; Raum, M; Buchheister, B; **Schaefer, U**; Klug, N; Neugebauer, E *Incidence and outcome of traumatic brain injury in an urban area in Western Europe over 10 years.*

Eur Surg Res. 2007; 39(6):372-379

Maegele, M; Sauerland, S; Bouillon, B; **Schäfer, U**; Trübel, H; Riess, P; Neugebauer, EA *Differential immunoresponses following experimental traumatic brain injury, bone fracture and two-hit-combined neurotrauma.*

Inflamm Res. 2007; 56(8):318-323

Molcanyi, M; Riess, P; Bentz, K; Maegele, M; Hescheler, J; Schäfer, B; Trapp, T; Neugebauer, E; Klug, N; **Schäfer, U** *Trauma-associated inflammatory response impairs embryonic stem cell survival and integration after implantation into injured rat brain.*

J Neurotrauma. 2007; 24(4):625-637

Riess, P; Molcanyi, M; Bentz, K; Maegele, M; Simanski, C; Carlitscheck, C; Schneider, A; Hescheler, J; Bouillon, B; **Schäfer, U**; Neugebauer, E *Embryonic stem cell transplantation after experimental traumatic brain injury dramatically improves neurological outcome, but may cause tumors.*

J Neurotrauma. 2007; 24(1):216-225

Bentz, K; Molcanyi, M; Hess, S; Schneider, A; Hescheler, J; Neugebauer, E; **Schaefer, U** *Neural differentiation of embryonic stem cells is induced by signalling from non-neural niche cells.*

Cell Physiol Biochem. 2006; 18(4-5):275-286

Maegele, M; Lippert-Gruener, M; Ester-Bode, T; Sauerland, S; **Schäfer, U**; Molcanyi, M; Molcany, M; Lefering, R; Bouillon, B; Neiss, WF; Angelov, DN; Klug, N; McIntosh, TK; Neugebauer, EA *Reversal of neuromotor and cognitive dysfunction in an enriched environment combined with multimodal early onset stimulation after traumatic brain injury in rats.*

J Neurotrauma. 2005; 22(7):772-782

**Schaefer, U**; Brücker, B; Elbers, A; Neugebauer, E *The capacity of alpha2-macroglobulin to inhibit an exogenous protease is significantly increased in critically ill and septic patients.*

Shock. 2004; 22(1):16-22

Schneider, A; Riess, P; Elbers, A; Neugebauer, E; **Schaefer, U** *Polyclonal anti-histamine H2 receptor antibodies detect differential expression of H2 receptor protein in primary vascular cell types.*

Inflamm Res. 2004; 53(6):223-229

**Schaefer, U**; Schneider, A; Rudroff, C; Neugebauer, E *Nitric oxide mediates histamine induced down-regulation of H2 receptor mRNA and internalization of the receptor protein (R1).*

Cell Mol Life Sci. 2003; 60(9):1968-1981

Rixen, D; Raum, M; Holzgraefe, B; **Schaefer, U**; Hess, S; Tenhunen, J; Tuomisto, L; Neugebauer, EAM *Local lactate and histamine changes in small bowel circulation measured by microdialysis in pig hemorrhagic shock*

SHOCK. SHOCK; 18: 355-359. ( Presented at: 4th International Shock Conference, PHILADELPHIA, PENNSYLVANIA, JUN 12-16, 1999)

Rudroff, C; Seibold, S; Kaufmann, R; Zetina, CC; Reise, K; **Schäfer, U**; Schneider, A; Brockmann, M; Scheele, J; Neugebauer, EA *Expression of the thrombin receptor PAR-1 correlates with tumour cell differentiation of pancreatic adenocarcinoma in vitro.*

Clin Exp Metastasis. 2002; 19(2):181-189

Mathiak, G; Neville, LF; Grass, G; Boehm, SA; Luebke, T; Herzmann, T; Kabir, K; Rosendahl, R; **Schaefer, U**; Mueller, C; Bohlen, H; Wassermann, K; Hoelscher, AH *Chemokines and interleukin-18 are up-regulated in bronchoalveolar lavage fluid but not in serum of septic surgical ICU patients.*

Shock. 2001; 15(3):176-180

**Schäfer, U**; Schneider, A; Neugebauer, E *Identification of a nitric oxide-regulated zinc finger containing transcription factor using motif-directed differential display.*

Biochim Biophys Acta. 2000; 1494(3): 269-276.

**Schäfer, U**; Seibold, S; Schneider, A; Neugebauer, E *Isolation and characterisation of the human rab18 gene after stimulation of endothelial cells with histamine.*

FEBS Lett. 2000; 466(1): 148-154.

**Schaefer, U**; Schmitz, V; Schneider, A; Neugebauer, E *Histamine induced homologous and heterologous regulation of histamine receptor subtype mRNA expression in cultured endothelial cells.*

Shock. 1999; 12(4):309-315

**Schaefer, U**; Schneider, A; Rixen, D; Neugebauer, E *Neutrophil adhesion to histamine stimulated cultured endothelial cells is primarily mediated via activation of phospholipase C and nitric oxide synthase isozymes.*

Inflamm Res. 1998; 47(6):256-264