

FC4HD – Heavy-duty fuel cell road demonstrator

Fuel cell driven heavy duty vehicles Challenges

- High Range daily milage up to 800 km
- High share of highways
- High average speed Low inclinations
- Mostly point to point transport
- Almost no stops for loading/unloading
- Overnight in parking lots along the highway
- Legal breaks of 45min







Fuel cell driven heavy duty vehicles Challenge - Daily milage


Customer expectation:

- milages >1000 km
- relistically only 640 -800 km

Driver has to pause for 45min after 4,5h of driving.

- Enough energy stored
- **Refueling** has to fit

/ 3



(Source: ICCT White Paper TCO-BET v4, November 2021



Fuel cell driven heavy duty vehicles Challenge - Truck Body



- Typical EU Long Haul Trucks (Class 5LH) have rather short wheelbases (<4000 mm) while having a sleeper cabin, increasing the length of the cabin.
- Building "hydrogen towers" behind the cabin with short wheelbases means incompatibility with certain trailers (16.5 m max length)
- **Increasing the wheelbase** also leads to problems with the allowed maximum length.
- Changed heat rejection split compared to ICE-based vehicles



AVL's Fuel Cell World Demonstrator Vehicles








Fuel Cell Demo Truck		KEYTECH4EV
DAF XF	Donor vehicle	VW Passat GTE
9800 kg	Vehicle curb weight	1746 kg
70 kWh	Battery size	9.9 kWh
~310 kW	Fuel cell system power	~55 kW
540 kW	e-drive power	100 kW
30 kg	Hydrogen tank capacity	3.8 kg
2	Number of tanks	3
approx. 13 min	Hydrogen refilling time	approx. 3 min
7.9 kg / 100 km	Hydrogen consumption	0.8 kg /100 km
>350 km	Driving range	>500 km




AVL develops and integrates Fuel Cell Powertrains from passenger vehicles up to various commercial applications



Smart System Integration





Integrated e-Axle

/ 6

FC4HD




700bar H2 Storage System


Fuel cell driven heavy duty vehicles **Solutions**




FC4HD



310kW Fuel Cell System



Advanced Vehicle Cooling




AVL 🐕



Fuel cell driven heavy duty vehicles Solutions – Fuel Cell system

AVL Fuel Cell System


- FCS net rated power (BOL/EOL)
 2 x 154 kW / 136 kW
- Max. FCS efficiency (BOL): ~55 %
- Stack development by AVL
- Fuel cell system integration by AVL
- Highest fuel cell power density



Fuel cell driven heavy duty vehicles **Solutions – Thermal system**

AVL Thermal System

- All thermal circuits are interconnected via valves or heat exchangers
- Load split between circuits depending on boundary conditions
- Airflow management around and over cabin to improve airflow to radiators on vehicle side
- High performance HV-fan for FCS cooling






Fuel cell driven heavy duty vehicles Solutions – E/E-System

E/E-System


- HV Components are dispersed throughout the vehicle. Also a lot of Truck specific components like an air compressor are packaged.
- Bespoke PDU (Power Distribution Unit) Additional HV Functionalities include Isolation Monitoring, switching additional Relais and fuses for component protection in case of failure
- 6 additional CAN busses for new vehicle Systems, VCU also acts as Gateway to original vehicle CANs
- LV System with 12V and 24V, Supplied by common DC/DC, only 24V Batteries



Fuel cell driven heavy duty vehicles Solutions – e-drive

AVL HD e-Axle

- Integration of e-motors into drive axle increases packaging space within ladder frame
- Free space in ladder frame can be used for
 - Fuel Cells (In Engine space)
 - Batteries (In Transmission space)
 - Auxiliary integration (Space usually consumed by prop shaft)
- 400 kW continuous power
- 540 kW peak power



Fuel cell driven heavy duty vehicles Solutions – Predictive Controls




AVL Predictive control solution

High system complexity requires

- Holistic development approach using Modelbased-development (AVL Digital Twin)
- Predictive Energy Management to achieve highest H2 efficiency and performance
- Predictive Lifetime Management to optimize TCO
- Consideration of all relevant sub-systems is key to optimize the overall energy management

Predictive energy management

Targets of energy management



Optimization of TCO for customer

Integration of Predictive Lifetime Management

- Integration in energy management
- Optimize component lifetime
- Keep high H2 efficiency and vehicle performance


→ Reduce TCO for customer

Battery characteristics

- System efficiency
- Battery capacity
- Component limits

→ Influenced by aging over lifetime

Fuel cell driven heavy duty vehicles Current Tasks – Vehicle Commissioning



Vehicle Commissioning


- Step-By-Step approach from "Vehicle Available" until "Ready for test"
- Preconditions allow for commissioning during assembly
- ~100 test cases necessary to ensure safety of workers and drivers



Vehicle Integration of a Fuel Cell Powertrain for 4x2 Heavy Duty Truck







Public / 14



THANK YOU



www.avl.com